Specimens of extinct and endangered birds in the collections of The Manchester Museum, The University of Manchester, UK

by Henry A. McGhie

Received 7 September 2004

Listings of museum holdings are of particular importance in ensuring that collections are accessible to researchers (Adams *et al.* 2003). Here, the holdings of extinct and endangered birds in The Manchester Museum, UK, are detailed. Criteria for inclusion were species listed by Adams *et al.* (2003), their list being derived from information contained in BirdLife International (2000). This list contains all species considered to have become extinct since 1500 or which are endangered or vulnerable due to very small populations, or declining and with a very small range (see Adams *et al.* 2003 for definitions). Species categorised as Vulnerable because of a small range, but which are currently relatively numerous are excluded. Several British museums have already published their holdings of extinct and endangered birds (Howes 1969, Benson 1972, Fisher 1981, Knox & Walters 1994), but criteria for inclusion have varied, thus these lists are not readily comparable. The Manchester Museum is committed to ensuring that its collections are used for the maximum possible benefit, both now and in the long term, and as such welcomes enquiries of all kinds, from professionals and amateurs.

Collections

The museum's collections were formed around those of the Manchester Natural History Society (1821-68), which were transferred to Owens College (now The University of Manchester) and housed in the present, purpose-built museum since 1888. The nucleus was added to piecemeal, most notably by the addition of the bird skin collection of Henry Eeles Dresser (1838–1915), of c.12,000 skins. This collection consists almost entirely of Palearctic birds and formed the basis for Dresser's monumental History of the birds of Europe (1871–81, supplement 1895), begun with R. B. Sharpe. Dresser's skin collection was purchased by J. P. Thomasson, in 1899, for the peppercorn sum of £1,000 and donated to Owens College; Dresser's egg collection (c.4.000 lots) was purchased by the family of J. P. Thomasson and donated to the museum for a similar sum, although it had been housed at the museum since 1912. The museum also received a large donation of birds from the British Museum (Natural History), in 1895, and a small but highly significant collection of Hawaiian birds from the Royal Society and Joint Committee for the Zoology of the Sandwich Islands, via Cambridge University Museum of Zoology, in 1900. The total bird collections comprise 15,000 skins plus c.2,000 mounts, 500 lots of skeletal material and 12,000 sets of eggs, of over 3,000 species.

Species entries

Taxonomy follows Adams *et al.* (2003), which in turn is based on that in BirdLife International (2000). For each species, the number of specimens, together with information on locality, provenance and the museum accession number is presented. Previous collectors' field numbers are included in brackets after the collector's name. Skins are of adults unless otherwise stated.

The following abbreviations are used:

BM(NH)

coll.	collected by
D	Henry Eeles Dresser (1838–1915)
ex	unsexed specimen
leg.	received from
purch.	purchased from
MNHS	Manchester Natural History Society (1821–68)
ni	no information
RCZSI	Royal Society and Joint Committee for the Zoology of

British Museum (Natural History)

the Sandwich Islands [] collection of

EXTINCT SPECIES

Haematopodidae

Canary Islands Oystercatcher Haematopus meadewaldoi

Skins: &, Jandia, Fuerteventura, Canary Islands, 20/4/1888, [D, leg. R Gomez] B.9162; \$\partial\$, Jandia, Fuerteventura, Canary Islands, 6/5/1889, [D, leg. R Gomez] B.9163.

NB these specimens are not listed in Vaurie (1965).

Alcidae

Great Auk Pinguinus impennis

Partial skeletons: 2 humeri, 2 tarsi, furcula, synsacrum, skull, leg. F Nicholson 1907, B.4757.

Raphidae

Dodo Raphus cucullatus

Partial skeletons: 14 bone fragments, leg. Boyd Dawkins (ex Richmond Mus.) 1904, B.4656; tarsometatarsus, leg. Boyd Dawkins (ex Richmond Mus.) 1919, BB.3534.

Casts: 2 (casts of head, foot), taken from specimens in Oxford Univ. Mus. Nat. Hist., leg. Boyd Dawkins 1919, BB.3532 BB.3530 respectively; 1 (tarsometatarsus and 4 digits), leg. Boyd Dawkins (ex Richmond Mus.) 1919, BB.3531; casts of tibia and tarsometatarsus, leg. Boyd Dawkins 1919, BB.3533 BB.3534.

Columbidae

Passenger Pigeon Ectopistes migratorius

Skins: &\$\phi\$, Toronto, Canada, coll. J Morley /4/1875, [L E Mather] BB.6973

BB.6974; 1 ex (mounted), BB.3523.

Eggs: 2, ni, [Barber] BB.8063.12; 1 (cracked), ni, BB.5470.

Psittacidae

Carolina Parakeet Conuropsis carolinensis

Skins: 1 ex, Enterprise, Florida, coll. J Morley /2/1875, [L E Mather] BB.7113.

Paradise Parrot Psephotus pulcherrimus

Skins: 2 or (study skin and ex mount), Gatton, leg. A W W B Brown 1889, B.455 B.456; 2 or (mounted), ni, [MNHS?] BB.4706.

Pachycephalinae

South Island Piopio Turnagra capensis

Skins: 2 ex (mount and ex mount), South Island, New Zealand, leg. E Melland, BB.1278 BB.1279.

Drepanidinae

'Akialoa Akialoa obscura

Skins: &, Kau, Hawaii, Hawaiian Islands, coll. R C L Perkins /6/1895 (no. 522), [RSZSI] B.7394.

Kauai 'Akialoa Akialoa stejnegeri

Skins: ?, Kaholuamano, Kauai, Hawaiian Islands, coll. R C L Perkins /10/1895 (no. 666), [RSZSI] B.3314.

Kakawahie Paroreomyza flammea

Skins: &, Molokai, Hawaiian Islands, coll. R C L Perkins /5/1893 (no. 185), [RSZSI] B.3303.

Kona Grosbeak Psittirostra kona

Skins: 9, Kona, 4,000 feet, Hawaii, coll. R C L Perkins 2/8/1892 (no. 580), [RSZSI] B.7400.

Greater 'Amakihi Viridonia sagittirostris

Skins: \$\partial\$, Hilo, 2,000 feet, Hawaii, coll. R C L Perkins /1/1896 (no. 536), [RSZSI] B.3320.

Callaeidae

Huia Heteralocha acutirostris

Skins: ♂♀ (mounted), New Zealand, purch. J H Fleming 1898, B.2227 B.2228.

ENDANGERED SPECIES

Phalacrocoracidae

New Zealand King Shag Phalacrocorax carunculatus

Eggs: 1 (cracked), Cirhh, New Zealand, [D, purch. Stoate sale] BB.5660.4004.

Threskiornithidae

Northern Bald Ibis Geronticus eremita

Skins: 2 & &, Birecik, Euphrates Valley, coll. C G Danford 20/2/1879, [D] B.9894 B.9895.

Eggs: 1, 'Algier', coll. Major Locke, [D] BB.5660.1888.

Black-faced Spoonbill *Platalea minor* Partial skeletons: 1 ex (skull), BB.5294.

Anatidae

Hawaiian Goose Branta sandvicensis

Skins: 1 ex (mounted), ni, BB.4501; \$\partial\$, Slimbridge, 21/5/1960, BB.8161.

Accipitridae

Spanish Imperial Eagle Aquila adalberti

Skins: ♂, near Madrid, Spain, coll. M de la Torre 1866–67, [D] B.10383; ♀, Seville, Spain, coll. Sanchez 24/10/1870, [D] B.10385; ♂, Seville, Spain, coll. Sanchez 13/11/1870, [D] B.10384; 1 ex, Hivondrana, near Burgos, Spain, coll. Starkey /6/1889, [D] B.10387; 1 ex, Seville, Spain, coll. A Ruiz, [D] B.10388.

Eggs: 2, Pinal de Anarcazar, coll. Lord Lilford 24/3/1873, [D] BB.5660.1596; 1, near Seville, Spain, coll. Lord Lilford 22/3/1874, [D] BB.5660.1594; 1, near Seville, Spain, coll. Lord Lilford 24/3/1874, [D] BB.5660.1593; 1, Coto Doñana, coll. Lord Lilford /4/1874, [D] BB.5660.1595.

Scolopacidae

Eskimo Curlew Numenius borealis

Skins: 1 ex, Texas, coll. A L Heermann 1861, [D] B.9395; σ , Toronto, Canada, coll. J S Morley /6/1877, [L E Mather] BB.6972.

Slender-billed Curlew Numenius tenuirostris

Skins: 2 &&, Malta market, coll. C A Wright 9/4/1864, [D] B.9379 B.9380 respectively; 1 ex, Morocco, coll. Capt. S G Reid 23/12/1881, [D] B.9382; 1 ex (beak damaged), 'southern Europe', [D, leg. Verreaux] B.9381.

Eggs: 1, Tara, Siberia, coll. V E Ushakov /5/1909, [D, leg. S A Buturlin] BB.5660.2539 (NB this may well be the only extant egg of the species).

Recurvirostridae

Black Stilt Himantopus novaezelandiae

Eggs: 2, New Zealand, coll. 22/12/1884, [Holdsworth] BB.7283.209.

Psittacidae

Kakapo Strigops habroptilus

Skins: 1 ex (mounted), Lake Te Anau, South Island, New Zealand, leg. E Melland, BB.1261; 1 (ex mount), ni, BB.4716; 1 ex, leg. A W W Brown, B.2555; 1 ex, ni, B.935; 1 ex, ni, BB.4717.

Complete skeletons: 1 ex (mounted), sounds on west coast of New Zealand, coll. 7/10/1882, leg. A W W Brown B.2237.

Eggs: 1, New Zealand, leg. E Melland 25/1/1898, BB.1326.

Trochilidae

Black-breasted Puffleg Eriocnemis nigrivestis

Skins: 2 &&, north Ecuador, [BM(NH), leg. J Gould, one specimen BM(NH) accession no. 57.4.20.3] B.1606.

Picidae

Ivory-billed Woodpecker Campephilus principalis

Skins: ♂♀ (ex mounts), 'Weekiva', Florida, coll. J S Morley /8/1876, [L E Mather] BB.8793.1 BB.8793.2 respectively.

Cotingidae

Kinglet Calyptura Calyptura cristata

Skins: 2 && (ex mounts), south-east Brazil, pre-1873, [MNHS] B.6327 B.6328.

Turdinae

Oloma'o Myadestes lanaiensis

Skins: &, Molokai, Hawaiian Islands, coll. R C L Perkins 9/9/1893, [RSZSI] B.3315.

Drepanidinae

Maui Parrotbill Pseudonestor xanthophrys

Skins: \$\, 5,000 \text{ feet, Haleakala, Maui, Hawaiian Islands, coll. R C L Perkins (no. 819), [RSZSI] B.7399.

Maui Nukupu'u Hemignathus lucidus affinis

Skins: σ , Haleakala, 5,000 feet, Maui, Hawaiian Islands, coll. R C L Perkins /5/1896 (no. 838), [RSZSI] B.3306.

Kauai Nukupu'u Hemignathus lucidus hanapepe

Skins: o, Kaholuamano, Kauai, Hawaiian Islands, coll. R C L Perkins /10/1895 (no. 689), [RSZSI] B.3306.

'Akikiki Oreomystis bairdi

Skins: o, Kaholuamano, Kauai, Hawaiian Islands, coll. R C L Perkins /10/1895 (no. 765), [RSZSI] B.3311.

Fringillidae

Azores Bullfinch Pyrrhula murina

Skins: \circ° , São Miguel, Azores, coll. F D Godman /4/1865, [D] BB.2859 BB.2860 (syntypes of *P. murina*); 1 ex, Azores, leg. BM(NH), B.3052 (possible syntype of *P. murina*).

Callaeidae

Kokako Callaeas cinerea

subspecies wilsoni (North Island Kokako)

Skins: 1 ex (ex mount), [North Island] New Zealand, pre-1873, [MNHS] B.8211. subspecies *cinerea* (South Island Kokako)

Skins: 1 ex, Lake Teanau, South Island, New Zealand, leg. E Melland, BB.1262.

References:

Adams, M. P., Cooper, J. H. & Collar, N. J. 2003. Extinct and endangered ('E&E') birds: a proposed list for collection catalogues. *Bull. Brit. Orn. Cl.* 123A: 338–354.

Benson, C. W. 1972. Skins of extinct or near extinct birds in Cambridge. *Bull. Brit. Orn. Cl.* 92: 59–68. BirdLife International. 2000. *Threatened birds of the world*. BirdLife International, Cambridge, UK & Lynx Edicions, Barcelona.

Fisher, C. T. 1981. Specimens of extinct, endangered or rare birds in the Merseyside County Museums, Liverpool. *Bull. Brit. Orn. Cl.* 101: 276–285.

Howes, C. A. 1969. A survey of near extinct and nearly extinct birds in the Royal Albert Memorial Museum, Exeter. *Bull. Brit. Orn. Cl.* 89: 89–92.

Knox, A. G. & Walters, M. P. 1994. Extinct and endangered birds in the Natural History Museum. Brit. Orn. Cl., Occ. Publ. 1, Tring.

Vaurie, C. 1965. The birds of the Palearctic fauna. Non-Passeriformes. H. F. & G. Witherby, London.

Address: Curator of Zoology, The Manchester Museum, The University of Manchester, Oxford Road, Manchester M13 9PL, UK, e-mail: henry.mcghie@manchester.ac.uk

© British Ornithologists' Club 2005